

RM of Rockwood Quarry Operations - Blasting Record 2021

Blasting Guidelines: Maximum Allowable Decibels: 130 dB

Quarry Blasts with NO TRIGGER - The blast was less than 106 dB, with a vibration less than 0.508 mm/sec or 0.02 in/sec.

** Quarry Blasts are monitored at the closest residence **

2021 Blasting Results				
Dec. 21	From 12 pm to 4 pm	Borland Const.	NW 1/4 32-13-2E	NO TRIGGER
Dec. 18	From 12 pm to 3pm	Armstrong Const.	SE 1/4 28-17-2E	122 dB, 0.254 mm/sec
Dec. 17	From 12 pm to 3pm	Armstrong Const.	SE 1/4 28-17-2E	119 dB, 0.254 mm/sec
Dec. 14	From 11 am to 3:45 pm	Glacial Stone Inc.	SE 1/4 18-14-2E	124 dB, 5.483 mm/sec
Dec. 10	From 1 pm to 3:30 pm	Inland Const.	SE 1/4 6-14-2E	106 dB, 0.055 in/sec
Dec. 9	From 10:00 am to 4:00 pm	Borland Const	NE 1/4 32-13-2E	NO TRIGGER
Dec. 8	From 11:00 am to 3:00 pm	Maple Leaf Const.	SE 1/4 8-14-2E	114 dB, 1.905 mm/sec
Dec. 8	From 11:30 am to 3:30 pm	Lafarge Const.	SE 1/4 8-14-2E	Monitor 1: NO TRIGGER Monitor 2: 116.8 dB, 1.443 mm/sec
Dec. 7	From 11 am to 3:45 pm	Glacial Stone Inc.	SE 1/4 18-14-2E	Monitor 1: 119.4 dB, 6.809 mm/sec Monitor 2: NO TRIGGER
Dec. 3	From 1 pm to 3:30 pm	Inland Const.	SE 1/4 6-14-2E	NO Trigger (100dB)
Dec. 3	From 11 am to 3 pm	Standard Limestone	NE 1/4 33-13-2E	110 dB, 0.381 mm/sec
Dec. 2	From 12 pm to 4 pm	Borland Const	NE 1/4 32-13-2E	114 dB, 0.127 mm/sec
Dec. 1st	From 11:30 am to 3:30 pm	Lafarge Const.	SE 1/4 8-14-2E	Monitor 1: 116.2 dB, 2.337 mm/sec Monitor 2: 115.4 dB, 1.702 mm/sec
Nov. 26	From 1 pm to 3:30 pm	Inland Const.	SE 1/4 6-14-2E	106 dB, 0.045 in/sec
Nov. 25	From 11 am to 3 pm	Maple Leaf Const	SE 1/4 8-14-2E	

RM of Rockwood Quarry Operations - Blasting Record 2021

Blasting Guidelines: Maximum Allowable Decibels: 130 dB

Quarry Blasts with NO TRIGGER - The blast was less than 106 dB, with a vibration less than 0.508 mm/sec or 0.02 in/sec.

** Quarry Blasts are monitored at the closest residence **

Nov. 26	From 11 am to 3:45 pm	Glacial Stone Inc.	SE 1/4 18-14-2E	Monitor 1: 125.3 dB, 5.78 mm/sec Monitor 2: NO TRIGGER
Nov. 25	From 12:00 pm to 3:30 pm	Lafarge Const.	SE 1/4 8-14-2E	Monitor 1: NO TRIGGER Monitor 2: 125.1 dB, 1.198 mm/sec
Nov. 19	From 12:30 pm to 3 pm	Inland Const.	SE 1/4 6-14-2E	106 dB, 1.270 mm/sec
Nov. 20	From 12 pm to 3 pm	Armstrong Const.	SE 1/4 28-17-2E	117 dB, 0.127 mm/sec
Nov. 13	From 10 am to 12 pm	Borland Const.	SW 1/4 5-14-2E	NO TRIGGER >110 dB, >0.51 mm/sec
Nov. 12	From 1 pm to 3 pm	Inland Const.	SE 1/4 6-14-2E	110 dB, NO TRIGGER
Nov. 12	From 1:30 to 3:30 pm	Lafarge Const.	SE 1/4 8-14-2E	Monitor 1: 107.3 dB, 2.407 mm/sec Monitor 2: 128.5 dB, 1.230 mm/sec
Nov. 10	From 1:30 to 3:30 pm	Lafarge Const.	SE 1/4 8-14-2E	128.0 dB, 1.927 mm/sec
Nov. 9	From 12 pm to 1 pm	Armstrong Const.	SE 1/4 28-17-2E	128 dB, 0.127 mm/sec
Nov. 6	From 10 am to 2 pm	Standard Const.	NE 1/4 33-13-2E	112 dB, 1.270 mm/sec
Nov. 5 -	From 1 pm to 3 pm	Inland Const.	SE 1/4 6-14-2E	100 dB, NO TRIGGER
Nov. 5	From 12 pm to 3:45 pm	Glacial Stone Inc.	SE 1/4 18-14-2E	121.7 dB, 9.351 mm/sec
Nov. 4	From 11 am to 4 pm	Maple Leaf Const	SE 1/4 8-14-2E	123 dB, 1.016 mm/sec
Oct. 30	From 1:30 to 3:30 pm	Lafarge Const.	SE 1/4 8-14-2E	Monitor 2: 122.2 dB, 0.367 mm/sec
Oct. 29	From 1 pm to 3 pm	Inland Const.	SE 1/4 6-14-2E	106 dB, 0.025 in/sec
Oct. 28	From 1 pm to 3 pm	Armstrong Const.	SE 1/4 28-17-2E	118 dB, 0.254 mm/sec

RM of Rockwood Quarry Operations - Blasting Record 2021

Blasting Guidelines: Maximum Allowable Decibels: 130 dB

Quarry Blasts with NO TRIGGER - The blast was less than 106 dB, with a vibration less than 0.508 mm/sec or 0.02 in/sec.

** Quarry Blasts are monitored at the closest residence **

Oct. 23	From 12 pm to 3:45 pm	Glacial Stone Inc.	SE 1/4 18-14-2E	Monitor 1: 122.9 dB, 6.949 mm/sec Monitor 2: 119.3 dB, 0.411 mm/sec
Oct. 23	From 11 am to 4 pm	Maple Leaf Const.	SE 1/4 8-14-2E	110 dB, .508 mm/sec
Oct. 22	From 1:30 pm to 3:30 pm	Lafarge Const.	SE 1/4 8-14-2E	106.9 dB, 0.235 mm/sec
Oct. 22	From 1 pm to 3 pm	Inland Const.	SE 1/4 6-14-2E	114 dB, 0.254 in/sec
Oct. 16	From 12:30 pm to 3:30 pm	Inland Const.	SE 1/4 6-14-2E	126 dB, 65.024 mm/sec
Oct. 15	From 11 am to 4 pm	Borland Const.	NE 1/4 32-13-2E	NO TRIGGER >110 dB, >0.51 mm/sec
Oct. 9	From 11 am to 4 pm	Maple Leaf Const.	SE 1/14 8-14-2E	120 dB, 1.270 mm/sec
Oct. 8	From 1 pm to 3 pm	Inland Const.	SE 1/4 6-14-2E	114 dB, NO TRIGGER
Oct. 7	From 11 am to 4 pm	Borland Const.	NE 1/4 32-13-2E	110 dB, 0.381 mm/sec
Oct. 5	From 12 pm to 3:45 pm	Glacial Stone Inc.	SE 1/4 18-14-2E	Monitor 1: 122.3 dB, 12.158 mm/sec Monitor 2: NO TRIGGER
Oct. 5	From 11 am to 4 pm	Maple Leaf Const.	SE 1/4 8-14-2E	125 dB, .1250 in/sec
Oct. 1st	From 1 pm to 3 pm	Inland Const.	SE 1/4 6-14-2E	116 dB, 0.040 in/sec
Oct. 1st	From 1:30 pm to 3:30 pm	Lafarge Const.	SE 1/4 8-14-2E	NO TRIGGERS
Sept. 25	From 11 am to 4 pm	Maple Leaf Const.	SE 1/4 8-14-2E	120 dB, .1000 in/sec
Sept. 24	From 1 pm to 3 pm	Inland Const.	SE 1/4 6-14-2E	114 dB, 0.010 in/sec
Sept. 23	From 12 pm to 4 pm	Borland Const.	SW 1/4 5-14-2E	NO TRIGGER >110 dB, >0.51 mm/sec
Sept. 22	From 12 pm to 3:45 pm	Glacial Stone Inc.	SE 1/4 18-14-2E	Monitor 1: 115.8 dB, 11.728 mm/sec.

RM of Rockwood Quarry Operations - Blasting Record 2021

Blasting Guidelines: Maximum Allowable Decibels: 130 dB

Quarry Blasts with NO TRIGGER - The blast was less than 106 dB, with a vibration less than 0.508 mm/sec or 0.02 in/sec.

** Quarry Blasts are monitored at the closest residence **

				Monitor 2: NO TRIGGER
Sept. 17	From 10 am to 4 pm	Maple Leaf Const.	SE 1/4 8-14-2E	119 dB, 0.140 in/sec
Sept. 17	From 12 pm to 3:35 pm	Glacial Stone Inc.	SE 1/4 18-14-2E	Monitor 1: 114.2 dB, 10.929 mm/sec. Monitor 2: NO TRIGGER
Sept. 17	From 1 pm to 3:30 pm	Inland Const.	SE 1/4 6-14-2E	106 dB, 0.05 in/sec
Sept. 16	From 10 am to 1 pm	Standard Const.	NE 33-13-2E	110 dB, 0.005 in/sec
Sept. 10	From 12 pm to 3 pm	Inland Const.	SE 1/4 6-14-2E	110 dB, 0.04 in/sec
Sept. 10	From 11 am to 1 pm	Glacial Stone Inc.	SE 1/4 18-14-2E	Monitor 1: 121.2 dB, 10.907 mm/sec Monitor 2: NO TRIGGER
Sept. 9	From 1:30 pm to 3:30 pm	Lafarge Const.	SE 1/4 8-14-2E	Monitor 1: 113.4 dB, 0.524 mm/sec Monitor 2: NO TRIGGER
Sept. 8	From 11 am to 4 pm	Maple Leaf Const.	SE 1/4 8-14-2E	122 dB, 0.1300 in/sec
Sept. 3	From 1 pm to 3 pm	Inland Const.	SE 1/4 6-14-2E	117 dB, 0.30 in/sec
Aug. 31	From 1:30 pm to 3:30 pm	Lafarge Const.	SE 1/4 8-14-2E	Monitor 1: 98.9 dB, 0.663 mm/sec Monitor 2: 121.8 dB, 0.567 mm/sec
Aug. 26	From 1 pm to 3 pm	Inland Const.	SE 1/4 6-14-2E	121 dB, 0.29 in/sec
Aug. 21	From 11 am to 3 pm	Maple Leaf Const.	SE 1/4 8-14-2E	116 dB, 0.0700 in/sec
Aug. 21	From 10 am to 3 pm	Glacial Stone Inc.	SE 1/4 18-14-2E	Monitor 1: 126.2 dB, 3.761 mm/sec. Monitor 2: NO TRIGGER (104.0 dB, 0.241 mm/sec)
Aug. 20	From 10 am to 3 pm	Lafarge Const.	SE 1/4 8-14-2E	Monitor 1: NO TRIGGER (118.4 dB, 0.62 mm/sec)

RM of Rockwood Quarry Operations - Blasting Record 2021

Blasting Guidelines: Maximum Allowable Decibels: 130 dB

Quarry Blasts with NO TRIGGER - The blast was less than 106 dB, with a vibration less than 0.508 mm/sec or 0.02 in/sec.

** Quarry Blasts are monitored at the closest residence **

				Monitor 2: NO TRIGGER (120.6 dB, 0.755 mm/sec)
Aug. 19	From 1 pm to 3 pm	Inland Const.	SE 1/4 6-14-2E	118 dB, 0.280 in/sec
Aug. 18	From 10 am to 2 pm	Lafarge Const.	SE 1/4 8-14-2E	Monitor 1: NO TRIGGER (114.1 dB, 0.774 mm/sec) Monitor 2: 116.9 dB, 0.543 mm/sec
Aug. 17	From 1:30 pm to 3:30 pm	Lafarge Const.	SE 1/4 8-14-2E	POSTPONED
Aug. 12	From 12 pm to 3 pm	Inland Const.	SE 1/4 6-14-2E	116 dB, 0.175 in/sec
Aug. 11	From 11 am to 3 pm	Maple Leaf Const.	SE 1/4 8-14-2E	121 dB, 0.1700 in/sec
Aug. 7	From 9 am to 12 pm	Lafarge Const.	SE 1/4 8-14-2E	Monitor 1: NO TRIGGER (110.2 dB, 0.755 mm/sec) Monitor 2: 110 dB, 0.681 mm/sec
Aug. 6	From 9 am to 11 pm	Glacial Stone Inc.	SE 1/4 18-14-2E	Monitor 1: 115.4 dB, 7.585 mm/sec Monitor 2: NO TRIGGER
Aug. 6	From 1 pm to 3 pm	Inland Const.	SE 1/4 6-14-2E	114 dB, 0.15 in/sec
Aug. 6	From 1:30 pm to 3:30 pm	Lafarge Const.	SE 1/4 8-14-2E	POSTPONED
Aug. 5	From 11 am to 4 pm	Borland Const.	NE 1/4 32-13-2E	114 dB, 0.762 mm/sec
Aug. 5	From 12:30 pm to 4:00 pm	Glacial Stone Inc.	SE 1/4 18-14-2E	POSTPONED
July 30	From 1 pm to 3 pm	Inland Const.	SE 1/4 6-14-2E	118 dB, 0.12 in/sec
July 29	From 11 am to 3 pm	Maple Leaf Const.	SE 1/4 8-14-2E	118 dB, 0.1000 in/sec
July 27	From 1:30 pm to 3:30 pm	Lafarge Const.	SE 1/4 8-14-2E	Monitor 1: NO TRIGGER Monitor 2: 122.6 dB, 0.712 mm/sec

RM of Rockwood Quarry Operations - Blasting Record 2021

Blasting Guidelines: Maximum Allowable Decibels: 130 dB

Quarry Blasts with NO TRIGGER - The blast was less than 106 dB, with a vibration less than 0.508 mm/sec or 0.02 in/sec.

** Quarry Blasts are monitored at the closest residence **

July 23	From 12:30 pm to 3 pm	Glacial Stone Inc.	SE 1/4 18-14-2E	Monitor 1: 117.5 dB, 10.4 mm/sec Monitor 2: 90.3 dB, 3.21 mm/sec
July 23	From 1 pm to 3 pm	Inland Const.	SE 1/4 6-14-2E	126 dB, 0.18 in/sec
July 17	From 12 pm to 3:30 pm	Lafarge Const.	SE 1/4 8-14-2E	Monitor 1: NO TRIGGER Monitor 2: 93.9 dB, 0.633 mm/sec
July 16	From 12 pm to 3 pm	Inland Const.	SE 1/4 6-14-2E	114 dB, 0.215 in/sec
July 16	From 12 pm to 4 pm	Maple Leaf Const.	SE 1/4 8-14-2E	114 dB, 0.0850 in/sec
July 14	From 9: 30 am to 10:30 am	Glacial Stone Inc.	SE 1/4 18-14-2E	119.1 dB, 11.625 mm/sec
July 13	From 1 pm to 3 pm	Glacial Stone Inc.	SE 1/4 18-14-2E	POSTPONED DUE TO WEATHER
July 9	From 12 pm to 3 pm	Inland Const.	SE 1/4 6-14-2E	114 dB, 0.1150 in/sec
July 8	From 1 pm to 3 pm	Lafarge Const.	SE 1/4 18-14-2E	101.1 dB, 0.106 mm/sec
July 6	From 1 pm to 3 pm	Glacial Stone Inc.	SE 1/4 18-14-2E	125.5 dB, 8.86 mm/sec
July 6	From 11 am to 4 pm	Standard Const.	NE 1/4 33-13-2E	112 dB, 0.0100 in/sec
July 2	From 1 to 3 pm	Inland Const.	SE 1/4 6-14-2E	100 dB, NO TRIGGER
July 2	From 1 pm to 4 pm	Lafarge Const.	SE 1/4 8-14-2E	121.6 dB, 2.67 mm/sec
July 2	From 11 am to 3 pm	Maple Leaf Const.	SE 1/4 8-14-2E	110 dB, 0.05 in/sec
June 30	From 1 pm to 3 pm	Maple Leaf Const.	SE 1/4 8-14-2E	112 dB, 0.110 in/sec
June 30	From 10 to 4 pm	Borland Const.	SW 1/4 5-14-2 E	112 dB, 0.508 mm/sec
June 26	From 12 pm to 3 pm	Inland Const.	SE 1/4 6-14-2E	106 dB, 0.07 in/sec
June 24	From 2 pm to 4 pm	Glacial Stone Inc.	SE 1/4 18-14-2E	121.1 dB, 5.11 mm/sec
June 24	From 1 pm to 3 pm	Lafarge Const.	SE 1/4 8-14-2E	119 dB, 2.19 mm/sec

RM of Rockwood Quarry Operations - Blasting Record 2021

Blasting Guidelines: Maximum Allowable Decibels: 130 dB

Quarry Blasts with NO TRIGGER - The blast was less than 106 dB, with a vibration less than 0.508 mm/sec or 0.02 in/sec.

** Quarry Blasts are monitored at the closest residence **

June 23	From 11 a 1 pm	Lafarge Const.	SE 1/4 8-14-2E	113.1 dB, 3.16 mm/sec
June 22	From 12 pm to 3 pm	Inland Const.	SE 1/4 6-14-2E	110 dB, 0.120 in/sec
June 16	From 1 pm to 3 pm	Lafarge Const.	SE 1/4 8-14-2E	123.9 dB, 3.96 mm/sec
June 16	From 12 pm to 3 pm	Inland Const.	SE 1/4 6-14-2E	100 dB, NO TRIGGER
June 10	From 12 pm to 3 pm	Glacial Stone Inc.	SE 1/4 8-14-2E	117.5 dB, 1.362 mm/sec
June 9	From 12 pm to 3 pm	Inland Const.	SE 1/4 6-14-2E	124 dB, 0.01 in/sec
June 5	From 1 pm to 3 pm	Lafarge Const.	SE 1/4 8-14-2E	108.7 dB, 1.550 mm/sec
June 4	From 1 pm to 3 pm	Maple Leaf Const.	SE 1/4 8-14-2E	119 dB, .1100 in/sec
June 2	From 10 am to 4 pm	Lafarge Const.	SE 1/4 8-14-2E	111.9 dB, 2.888 mm/sec
June 2	From 12 pm to 3 pm	Inland Const.	SE 1/4 6-14-2E	110 dB, 0.015 in/sec
June 1	From 9 am to 4 pm	Glacial Stone Inc.	SE 1/4 18-14-2E	109.8 dB, 2.590 mm/sec
May 26	From 12 pm to 3:45 pm	Inland Const.	SE 1/4 6-14-2 E	106 dB, 0.040 in/sec
May 25	From 9 am to 4 pm	Glacial Stone Inc.	SE 1/4 18-14-2E	109.2 dB, 1.05 mm/sec
May 20	From 12 pm to 3 pm	Inland Const.	SE 1/4 6-14-2E	121 dB, 0.08 in/sec
May 19	From 11 am to 4 pm	Maple Leaf Const.	SE 1/4 8-14-2E	121 dB, 0.0900 in/sec
May 14	From 9 am to 4 pm	Glacial Stone Inc.	SE 1/4 18-14-2E	120.2 dB, 7.47 mm/sec
May 13	From 12 pm to 3 pm	Inland Const.	SE 1/4 6-14-2E	NO DATA AVAILABLE
May 8	From 9 am to 4 pm	Lafarge Const.	SE 1/4 8-14-2E	124.8 dB, 1.14 mm/sec
May 6	From 10 am to 3 pm	Maple Leaf Const.	SE 1/4 8-14-2E	114 dB, 0.0100 in/sec
May 6	From 12 pm to 3 pm	Inland Const.	SE 1/4 6-14-2E	106 dB, 0.05 in/sec
May 5	From 12 pm to 4 pm	Borland Const.	SW 1/4 5-14-2E	CANCELLED
April 29	From 2:30 to 4 pm	Glacial Stone Inc.	SE 1/4 18-14-2E	NO TRIGGER
April 29	From 12 pm to 3 pm	Inland Const.	SE 1/4 6-14-2E	118 dB, .1850 in/sec

RM of Rockwood Quarry Operations - Blasting Record 2021

Blasting Guidelines: Maximum Allowable Decibels: 130 dB

Quarry Blasts with NO TRIGGER - The blast was less than 106 dB, with a vibration less than 0.508 mm/sec or 0.02 in/sec.

** Quarry Blasts are monitored at the closest residence **

				& 120 dB, 0.065 in/sec
April 28	From 11 am to 3 pm	Maple Leaf Const.	SE 1/4 8-14-2E	119 dB, 0.0400 in/sec
April 27	From 10 to 3 pm	Maple Leaf Const.	SE 1/4 8-14-2E	#1 - 129 dB, 0.110 in/sec #2 - 100 dB, 1.56 in/sec no trigger
April 23	From 12 pm to 3 pm	Inland Const.	SE 1/4 6-14-2E	114 dB, 0.055 in/sec
April 20	From 10 am to 3 pm	Maple Leaf Const.	SE 1/4 8-14-2E	118 dB, 0.100 in/sec
April 16	From 12 pm to 3 pm	Inland Const.	SE 1/4 6-14-2E	106 dB, 0.0550 in/sec
April 16	From 9 am to 4 pm	Glacial Stone Inc.	SE 1/4 18-14-2E	118.5 dB, 0.22 mm/sec
April 13	From 12 pm to 3 pm	Inland Const.	SE 1/4 6-14-2E	110 dB, 0.075 in/sec
April 3	From 9 am to 4 pm	Lafarge Const.	SE 1/4 8-14-2E	110.9 dB, .67 mm/sec
April 1	From 12 pm to 3 pm	Inland Const.	SE 1/4 6-14-2E	126 dB, 0.075 in/sec
Mar. 31	From 11 am to 4 pm	Maple Leaf Const.	SE 1/4 8-14-2E	122 dB, 0.0800 in/sec
Mar. 25	From 12 pm to 3 pm	Inland Const.	SE 1/4 6-14-2E	112 dB, 0.05 in/sec
Mar. 24	From 1 pm to 4 pm	Armstrong Const.	SE 1/4 28-17-2E	CANCELLED
Mar. 23	From 9 am to 4 pm	Glacial Stone	SE 1/4 18-14-2E	120.3 dB, 9.525 mm/sec
Mar. 19	From 1 pm to 4 pm	Armstrong Const.	SE 1/4 28-17-2E	110 dB, 0.0150 in/sec
Mar. 19	From 11 am to 4 pm	Maple Leaf Const.	SE 1/4 8-14-2E	112 dB, 0.0800 in/sec
Mar. 19	From 12 pm to 3 pm	Inland Const.	SE 1/4 6-14-2E	114 dB, 0.01 in/sec
Mar. 12	From 12 pm to 3 pm	Inland Const.	SE 1/4 6-14-2E	110 dB, 0.065 in/sec
Mar. 13	From 12 pm to 3 pm	Armstrong Const.	SE 1/4 28-17-2E	118 dB, 0.005 in/sec
Mar. 10	From 11 am to 4 pm	Maple Leaf Const.	SE 1/4 8-14-2E	59.5 dB, 3.03 mm/sec
Mar. 10	From 9 am to 4 pm	Glacial Stone	SE 1/4 18-14-2E	98.8 dB, .0514 mm/sec

RM of Rockwood Quarry Operations - Blasting Record 2021

Blasting Guidelines: Maximum Allowable Decibels: 130 dB

Quarry Blasts with NO TRIGGER - The blast was less than 106 dB, with a vibration less than 0.508 mm/sec or 0.02 in/sec.

** Quarry Blasts are monitored at the closest residence **

Mar. 6	From 11 am to 1:30 pm	Inland Const.	SE 1/4 6-14-2E	117 dB, 0.03 in/sec
Mar. 5	From 11 am to 1 pm	Armstrong Const.	SE 1/4 28-17-2E	117 dB, 0.005 in/sec
Mar. 3	From 12 pm to 4 pm	Borland Const.	NE 1/4 32-13-2E	106 dB, 0.762 mm/sec
Mar. 2	From 10:30 am to 4 pm	Lafarge Const.	SE 1/4 8-14-2E	102.8 dB, .66 mm/sec
Feb. 28	From 11 am to 1:30 pm	Inland Const.	SE 1/4 6-14-2E	114 dB, 0.075 in/sec
Feb. 27	From 12 pm to 4 pm	Borland Const.	SW 1/4 5-14-2E	112 dB, 1.016 mm/sec
Feb. 21	From 9 am to 4 pm	Maple Leaf Const.	SE 1/4 8-14-2E	119 dB, 0.0450 in/sec
Feb. 14	From 9 am to 4 pm	Lafarge Const.	SE 1/4 8-14-2E	105.7 dB, 0.361 mm/sec
Feb. 13	From 12 pm to 4 pm	Borland Const.	NE 1/4 32-13-2E	114 dB, 0.254 mm/sec
Feb. 3	From 12 pm to 4 pm	Borland Const.	NE 1/4 32-13-2E	114 dB, 0.889 mm/sec
Jan. 23	From 9:30 am to 4 pm	Lafarge Const.	SE 1/4 8-14-2E	112.2 dB, 0.671 mm/sec
Jan. 15	From 10 am to 3 pm	Maple Leaf Const.	SE 1/4 8-14-2E	117 dB, 0.005 in/sec
Jan. 9	From 10 am to 4 pm	Maple Leaf Const.	SE 1/4 8-14-2E	116 dB, 0.100 in/sec